



Atlantis 51 | 2019

New yacht on order

Price in Europe

By request

VAT not paid | Without options

Short description

Sporty sleek lines, an icon profile, massive interior volume and top performance. Now you may have it all. The only missing space is the one for compromise. «The devil is in the details» and this boat is a true statement with her new vertical bow shape, whose steel anchor shield displays the Azimut stilema trademark and the two above friezes evoke the courage of a fast and agile animal. Spacious garage The generous garage may host a tender up to 3,25 mt (10' 8") and on the transom the option to have an electric barbecue. Enhancing On Board Space A unique layout on the below level offers a cent...

Specifications

Length overall	16.18 m
Beam overall	4.55 m
Draft	1.25 m
Material	VTR/GRP
Cabines	3
Head compartments	2
Engine	2 x VOLVO IPS 800 - 600 mhp
Fuel capacity	1500 l
Water capacity	450 l
Max speed	35.00 knots
Cruising speed	30.00 knots



Exterior of Atlantis 51



Exterior of Atlantis 51



Exterior of Atlantis 51



Exterior of Atlantis 51



Exterior of Atlantis 51



Helm station



Salon



Rest area near the helm station



Salon



Sunbathing area



Sunbathing area




Dinette



Galley



Master Cabin



Dressing Table



Master Bathroom




Sliding Beds




Sliding Beds

Hard top



Main deck



Lower deck



Technical characteristics

Length overall	16.18 m	Fuel capacity	1500 l
Beam overall	4.55 m	Water capacity	450 l
Draft	1.25 m	Cabins	3
Displacement	3.66 t	Berths	6 + 2 dinette
Engine	2 x VOLVO IPS 800 - 600 mhp	Head compartments	2
Max speed	35.00 knots	Material	VTR/GRP
Cruising speed	30.00 knots		

Regulations UNI ISO 8666

The levels of performance described apply to a standard craft (with standard equipment installed) with clean hull, propeller and rudders. Moreover, it is specified that such levels of performance were achieved under favourable sea and wind conditions (1 on the Beaufort scale and 1 on the Douglas scale); in the case of diverse or less favourable sea conditions performance levels may vary considerably.

EC Approved

Azimut reserves the right to modify the specification and characteristics of its vessels at any time.

Standard specification

ExteriorHard top

- Electrically controlled roof with controls in the wheelhouse
- Stainless steel light mast
- Compliant navigation lights
- Searchlight

Bow

- Chain locker accessible through hatch provided with drainage
- Remote control for fore winch located inside the chain locker
- Fenders storage in the chain locker
- Stainless steel anchor line anti-rubbing protection
- Hatch (emergency exit from owner's cabin)
- Owner's cabin glass-skylight forward of the hatch
- Sunbed area with removable cushions in fabric for outdoors, with built-in glass holders
- 2 electric windscreen wipers
- Scuppers

Walk arounds

- Fresh water filling plug on port walk around
- Black rubber rub-rail
- Stainless steel pulpit with handrail
- Stainless steel shackles mounted vertically on the Hard Top at the walk arounds entrance

Cockpit

- 1 access on starboard side
- Stern sunbed area with removable cushions in fabric, with built-in glass holders
- 1 "C" shaped sofa (in dining area), with backrests and relevant removable cushions in fabric
- GRP fixed table with extensions

- Scuppers
- Cabinet located on starboard side, composed of:
 - -Built-in sink with collapsible faucet and worktop covered by upper hatch with piston
 - -2 vertical lockers, one of which with waste holder
 - -2-seat sofa with relevant removable cushions in fabric and horizontal locker underneath
 - -Vertical compartment behind the sofa backrest for possible concealed TV set
 - -Storage compartment covered by hatch, on aft side
- 2 additional lockers on port aft side, located under the cushions, one of which pre-arranged for storing a self-inflating raft, and both provided with piston
- GRP floor with non-slip finishing
- Engine compartment access through hatch located in front of the cabinet
- Hold access under stern sunbed area through three hatches with closure and piston, one of which in transparent Plexiglas, placed under the cushions
- Lighting with LED spotlights and bars and mounted recessed on the fabric-upholstered ceiling by means of a stainless steel frame.

Wheelhouse

- Commander's seat
- Co-pilot seat to the left of the commander
- helm seats provided with adjustable squab with stainless steel structure and padded cushion, and manual mechanism for horizontal adjustment of the pilot position
- Leather-covered steering wheel
- Dedicated lighting
- internal dashboard consisting of:
 - -Volvo Penta engine display
 - -electronic navigation instruments, BRONZE version
 - -Engine throttles
 - -VHF
 - -Magnetic compass
 - -Bow thruster controls
 - -Audible alarm controls
 - -USB socket
- Adjustable outlets for air conditioning delivery
- 2 glass holders
- GRP footrests
- GRP floor with non-slip finishing

To the left of the wheelhouse

- 2 lounging chairs on port fore side, to the left of the compartment leading to lower deck, made with removable cushions in fabric
- 2 additional storage compartments on port fore side, to the left of the compartment leading to lower deck, both provided with piston for keeping the transparent Plexiglas hatches lifted
- 2 additional horizontal lockers, on port fore side, located under the lounging chair
- GRP floor with non-slip finishing
- At the center of the boat, between the wheelhouse and the lounging chairs, is the ladder leading to the lower deck, accessible through a white Plexiglas sliding companionway.

Platform/Hold

- Large hold that can be used as garage if the hatch hydraulic lifting piston is purchased
- Black rubber rub-rail
- Refueling plugs on both sides of the deck gunwale
- External GRP steps for accessing the cockpit, starboard side
- External GRP steps for accessing the port walk around
- 1 stainless steel and Plexiglas gate that separates the steps from the cockpit, starboard side
- External shower head, on starboard side
- GRP floor with non-slip finishing
- Manual removable swimming ladder, located under the center of the platform, aft side
- 2 lockers with hatch under the mooring stations

InteriorGalley

- Located on port side
- Cabinet with compartments for house-hold appliances and 2 drawers under the sink with laminated worktop

- Column cabinet for fridge, forward in the owner's cabin access corridor, port side
- Column cabinet with shelves, forward in the owner's cabin access corridor, starboard side
- 2 storage wall units on the bulwark above the windows provided with Venetian blinds and portlight
- Stainless steel sink with faucets
- Fridge/freezer(220 l)
- Extractor hood
- Microwave oven (20 l)
- Ceramic glass 2-hob range
- Laminate flooring
- Lighting with LED spotlights and bar mounted recessed on fabric-upholstered ceiling
- Concealed sockets

Dinette

- Located on starboard side
- 1 5-seater "C" shaped sofa with lockers arranged longitudinally on starboard side
- 1 table with fixed stainless steel base and wooden top
- 2 storage wall units on the bulwark above the windows provided with Venetian blinds and portlight
- Full length mirror, fore side
- Fabric and laminate upholstered bulwarks
- Carpeted floor
- Lighting with LED spotlights mounted recessed on fabric-upholstered ceiling
- LED courtesy lighting under the steps
- Sockets

Owner's cabin

- Located at the bow
- Double bed at the center of the boat with locker and 2 chest of drawers with shelves
- Mattress, pillows and bedspread
- Fabric-upholstered headboard
- 2 reading lights
- 2 bedside tables
- 2 storage wall units on the bulwark above the windows provided with Venetian blinds and portlight
- Vanity with collapsible shelf and pouf concealable under the bed
- 2 wardrobes with hanger bar and mirror
- 1 chest of drawers on port bulwark forward of the wardrobe
- Emergency escape hatch in fore sunbed area
- Fixed skylight forward of the emergency escape hatch
- Fabric and laminate upholstered bulwarks
- Carpeted floor
- Direct access to dedicated head
- Lighting with LED spotlights and bar mounted recessed on fabric-upholstered ceiling
- Sockets

Owner's head

- Located on starboard side
- independent access from owner's cabin
- Ceramic washbasin with laminated top
- Faucets
- Head accessories
- Wall unit above sink with mirror
- Storage under the washbasin
- TOILET
- Central shower enclosure with:
 - -glass access door and aluminum frame
 - -shower enclosure walls covered with laminate
 - -GRP floor with non-slip finishing
 - -thermostatic mixer
 - -hand-held and ceiling-mounted shower head
 - -ceiling-mounted recessed LED lighting bar
- Side windows with recessed portlight, provided with Venetian blind



Дата оформления предложения 19.06.2019

- Laminated floor
- Lighting with ceiling spotlight and recessed LED bar above the wall unit
- Sockets

VIP cabin

- Located on starboard side
- Double bed, which can be transformed into two single beds, placed longitudinally on the bulwark, with locker below
- Mattress, pillows and bedspread
- Fabric-upholstered headboard
- 2 reading lights
- 2 bedside tables, one of which is concealed when the bed is in the double bed configuration
- 1 wardrobe with hanger bar and mirror
- Wardrobe, longitudinal on port side, with vanity and chest of drawers
- 2 drawers, fore side
- 2 wall units, aft and midship on port side
- Side windows with portlight, provided with Venetian blind
- Fabric and laminate upholstered bulwarks
- Carpeted floor
- Access to head through corridor
- Lighting with LED spotlights mounted recessed on fabric-upholstered ceiling
- Sockets

Guest cabin

- Located on port side
- 2 single bunk beds
- Mattress, pillows and bedspread
- 2 reading lights
- 1 shelf at the foot of the upper bed
- 1 wardrobe with hanger bar, shelf, and mirror
- 1 wall unit on bulwark, above the upper bed
- 1 locker on the lower bed plane
- Side windows with recessed portlight, provided with Venetian blind
- Fabric and laminate upholstered bulwarks
- Carpeted floor
- Access to head through corridor
- Lighting with LED spotlights mounted on fabric-upholstered ceiling
- Socket

Guest head

- Located on port side
- Ceramic washbasin with laminated top
- Faucets
- Head accessories
- Side wall unit with mirror
- Storage under the washbasin
- TOILET
- Shower enclosure with:
 - -glass access door and aluminum frame
 - -shower enclosure walls covered with laminate
 - -GRP floor with non-slip finishing
 - -thermostatic mixer
 - -hand-held shower head
 - -wall unit
 - -ceiling spotlight
- Side windows with portlight, provided with Venetian blind
- Laminated floor
- Lighting with ceiling spotlight and recessed LED bar above the wall unit
- Sockets

SystemsElectric system

- Shore-powered power supply
- DC electric panel: 3 installed on the fore bulkhead of the engine room, in the aft wall unit of the dinette and under the central seating area of the dinette
- AC electric panel: 2 installed on the fore bulkhead of the engine room and in the aft wall unit of the dinette
- battery cut-out control panel: 1 installed in the aft wall unit of the dinette
- Onboard voltages:
 - -230V-50 Hz AC
 - -24 V DC from battery set
 - -12 V DC from battery set and from DC/DC voltage reducer

Generator

- 1 single-phase 3.5 kW/230 VAC - 50 Hz generator for EU system
- Remote start up

Shore power sockets

- EU: 1 3P 50A socket
- The AC power sources terminate on the main electric panel in the engine room, for the 230 V network. The AC power sources are protected by suitably sized fuses, and introduced into the network by means of remote control switches.

Batteries

- Services: 6 90 Ah@12V DC
- Engines: 4 90 Ah@12V DC
- Generator: 1 90 Ah@12V
- Service/service backup / engine starting battery chargers: 1 60 Ah 24V
- Genset start up battery charger: 112 Ah 12V

Lights and sockets

- 230 V AC sockets for main utility power supply, EU type
- USB sockets
- Internal lighting: 24V LED type
- External lighting: 24V LED type

Electronic navigation instruments

- BRONZE version
- For a detailed list of alternative/additional equipment available, please refer to the Optionals price list.

Bilge system

- Main system composed of 3 automatic and independent pumps located in each watertight compartment: 2 in the engine room (fore and aft), 1 (central) under VIP cabin entrance floor
- Secondary or auxiliary system, composed of 2 manual pumps with 3 suction points located as follows: 2 in the engine room (fore and aft), 1 (central) under VIP cabin entrance floor

Fire extinguishing system

- 1 manual system activation on the vertical wall between the wheelhouse and the helm seat
- System indicator/reset on instrument board under the steering wheel
- 1 1000 feet gas extinguisher in the engine room
- Dry chemical extinguishers located in internal spaces

Fuel system

- 2 plastic fuel tanks located longitudinally on port and starboard sides in the engine room, total 1440 l (serial numbers Oil - 012)
- 2 fuel level electronic sensors (one per tank) monitored through indication in the wheelhouse
- 1 fuel level optical gage on port tank
- 2 single Racor settling filters for engines
- 1 Racor filter for generator
- 2 tank vents on bulwark, one per side
- Remote engine diesel shut-off via 24 V solenoid valve
- Remote generator diesel shut-off via 12 V solenoid valve
- Refueling plugs on both sides of the gunwale/deck column
- Possibility of leveling diesel from one tank to the other, using a communicating pipe
- Possibility of refueling both diesel tanks from a single refueling plug, by means of the communicating pipe.



Дата оформления предложения 19.06.2019

Fresh water system

- 450 l plastic tank under the bow tray, under the owner's cabin floor, aft side
- Water refill through caps located in the fore part of the port walk around
- Water pressure pump unit located in the engine room, port aft side (24 V - 50/60 Hz) with electronic control
- 60 l water heater located in the engine room, starboard aft side
- Fresh water toilet flushing
- 1 level sensor with electronic indicator on the 24 V electric panel in dinette, starboard aft side
- The system can be isolated by means of ACORN type manifolds located under the galley/dinette floor, fore side.

Black water system

- 2 Tecma toilets with direct outboard discharge

Gray water system

- 10 l plastic tank located under the dinette floor
- 1, 17.5 l/min pump
- 1 collection tray under the corridor floor in front of the guest head

Seawater system

- Engine cooling system: includes 1 seawater intake with filter and 2" ball valve
- Generator cooling system: includes 1 seawater intake with filter and 1" ball valve

Ventilation/extraction

- 2 extractors located abaft the engine room, with 100 mm pipe that conveys the air outside through openings on hull bulwark.

Equipment

- 1 telescopic boat hook
- 2 anchor lines
- 18 m fender lines
- 1 anchor chain stopper
- 6 fenders
- 6 black fender covers
- 1 Owner's Manual
- 1 AZIMUT document holder
- 1 wooden model of the boat
- 1 AZIMUT warranty service booklet
- 2 floating key-rings
- 1 bag (with logo) for storing the manuals
- 1 remote control holder (with logo)
- 1 bag for holding the shower tube